

PFE ORIGINAL

**Dimock Update (1430 hrs., 1/27/12)**

Gerald Heston to: Kathy Hodgkiss, JohnJ Butler

Cc: Dennis Carney, Richard Fetzer, Richard Rupert, Ann DiDonato,  
Gerald Heston

SDMS DocID

2140987

01/27/2012 02:40 PM

11 homes will be sampled by COB today. 8 of those 11 have denied access to PADEP and Cabot for split samples.

ERT and SERAS (contractor) arrived onsite and worked with the sample management team to improve the process.

Site team has scheduled residential sampling appointments through the week of 2/13/12.

Daily water deliveries continue.

No sampling activities scheduled for this weekend.

**Summary of surveys, appointments, sampling:**

Executive Summary							
1/27/2012	Surveys Received	Survey followup needed	Appointments Scheduled	Appointments to be scheduled	Splits with PADEP	Splits with Cabot	Sampl Done
Sampling Categories							
CO&A List (21)	18	3	19	2	3	3	
Historical Sampling (34)	33	1	31	3	0	0	
Added on Criteria (0)	0	0	0	0	0	0	
Unaccounted (11)	1	10	0	0	0	0	
TOTALS (66)	52	14	50	5	3	3	
*Unaccounted category included homes where phone disconnected, phone calls not returned, sampling status unknown outside published area - not counted in appointment to be scheduled							

Gerald T. Heston, Chief  
 Eastern Response Branch (3HS31)  
 U. S. Environmental Protection Agency - Region 3  
 1650 Arch Street  
 Philadelphia, PA 19103

Phone: 215-814-3273  
 Fax: 215-814-3254